

From: [Appel, Patrick](#)
To: [Coltrain, Katrina](#)
Cc: [lvega_eaest.com](#)
Subject: RE: Reduced list of COPCs for lab
Date: Thursday, July 28, 2016 9:29:22 AM
Attachments: [WILCOX RI Sept 12-2016 Sample Request Form 7-27-16_rev.doc](#)
[Excerpt from EPA CLP Samplers Guide Table C-1.pdf](#)

Hi Katrina – please see comments/edits in the attached sample request form. Also, we discussed the sample collection method internally and came to the conclusion that pre-weighed vials with stir bar (Closed System Vials) is preferable over Encores for VOCs in soil because they are less expensive to use and collection time is about the same. Also, please refer to the attached page from the CLP Samplers Guide that stipulates freezing of VOC samples is acceptable and will extend the holding time to 14 days (eliminating the need to overnight ship VOC samples. This should help increase productivity since we can freeze and ship VOC samples using dry ice stored in on-site freezer.

Talk to you at 2PM today.

Pat

From: Coltrain, Katrina [mailto:coltrain.katrina@epa.gov]
Sent: Wednesday, July 27, 2016 2:51 PM
To: Appel, Patrick <pappel@eaest.com>
Cc: Vega, Luis <lvega@eaest.com>
Subject: RE: Reduced list of COPCs for lab

Any time except 1145 to 130.

Here is the draft lab request form. Please let me know what needs correction. I know that the number of samples/QC will need correction, but other items like suite of chemical/methods/ etc.

Katrina Higgins-Coltrain
Remedial Project Manager
US EPA Region 6
LA/OK/NM Section (6SF-RL)
1445 Ross Avenue
Dallas, Texas 75202
214-665-8143

From: Appel, Patrick [mailto:pappel@eaest.com]
Sent: Wednesday, July 27, 2016 2:30 PM
To: Coltrain, Katrina <coltrain.katrina@epa.gov>
Cc: lvega_eaest.com <lvega@eaest.com>
Subject: RE: Reduced list of COPCs for lab

Hi Katrina – Thanks for passing this along. We reviewed and it looks like the list is complete.

Do you have time tomorrow to discuss Phase I sampling? If so, what time works best?

Thank you

Pat

Patrick Appel

EA Engineering, Science, and Technology, Inc., PBC

405 S. Highway 121, Building C, Suite 100

Lewisville, TX 75067

972-315-3922 ext 1245

Direct: 972-459-5038

Mobile: 817-437-0563

Fax: 972-315-5181

IMPROVING THE QUALITY OF THE ENVIRONMENT IN WHICH WE LIVE, ONE PROJECT AT A TIME®

From: Coltrain, Katrina [<mailto:coltrain.katrina@epa.gov>]

Sent: Wednesday, July 27, 2016 9:03 AM

To: Appel, Patrick <pappel@eaest.com>; Vega, Luis <lvega@eaest.com>

Subject: Reduced list of COPCs for lab

Pat/Luis, please see the attached excel sheet that has a reduced list of COPCs as requested by the lab. I based the list off of hits and detection limit exceedances of the screening number from the ERT report. For PCBs and pesticides I relied on the risk assessor to identify those of most interest.

Send any updates or thoughts. thanks

Katrina Higgins-Coltrain

Remedial Project Manager

US EPA Region 6

LA/OK/NM Section (6SF-RL)

1445 Ross Avenue

Dallas, Texas 75202

214-665-8143